The general analysis was done by making certain assumptions, then calculating the power density at ground level and finding the percentage of the allowable level. These various contributing percentages were added to get the final percentage of allowable radiation.

It was assumed that if the final percentage was less than 100%, then the addition of the proposed Crozet FM operation operation to the site would present no radiation hazard. As will be demonstrated, the proposed facility constitutes 4.09% of the allowable limit at ground level. Whereas the co-located communication facilities contribution of non-ionizing radiation is negligible, it is believed that the addition of the proposed Crozet FM operation operation to the site would present no radiation hazard.


The area around the base of the proposed antenna tower will be fenced to prevent access to the tower structure when the FM operation is broadcasting. In the event that workers need to enter the restricted area or climb the tower structure, applicant certifies that it will cease operations for the entire period of potential exposure to workers and will only resume operation after verification that all personnel are clear of the restricted area and out of the vicinity of the tower structure.

The following assumptions were made for the analysis of the FM stations at the site:

- 1. All facilities within 1 km. are considered to be at the same site as the proposed site.
- 2. All FM stations were considered to be circularly polarized.
- 3. Worst case downward radiation was used.
- 4. S, the power density at ground level was calculated using the following formula:

Where:

$$S = \frac{(0.64) (1.64) (Power) (1000)}{(\Pi)(Distance)^2}$$



antenna installation proposed herein will not adversely affect safety in air navigation and that the instant application is exempt from notification to the FAA under 47 CFR 17.14(a).

Because there is no increase in tower height proposed, it is believed that the proposed installation would not constitute a major environmental action as defined by the Commission's Rules.

No change in the character of the site is proposed as a part of the construction.

No change in grade or land surface is proposed. The site will experience little change in human presence as a result of the proposed construction.

STATEMENT OF INTERFERENCE

The proposed operation is not expected to cause any adverse effect on the existing business band radio operation co-located at the proposed antenna site. Applicant acknowledges its responsibility to correct any problems caused by interference resulting from its proposed operation of Channel 278-A and certifies that it will take full financial responsibility for resolving any interference related problems.

Respectfully Submitted, Broadcast Technical, Inc.

By:

Kenneth Devine

May, 1992

FIGURE 1

FM SPACING STUDY

NEW EDUCATIONAL FM STATION CH 278 A 103.5 MHz. 0.270 kW 462 METERS

COMMUNITY EDUCATIONAL SERVICE COUNCIL, INC. CROZET, VIRGINIA

REFERENCE 37 57 00 N 78 43 38 W		CLASS A				DISPLA SEARC DAT	H 4-30-92	
Current rule spacings								
CHANNEL 278 - 103.5 MHz								
CALL TYPE	CH# LAT	CITY LNG	STATE PWR	BEAR' HT	D-KM D-Mi	R-KM R-Mi	MARGIN (KM)	
•	-	Crozet 78 43 38 mes Madison Un perating education	•			115.0 71.5	-115.00*	
ALOPEN AL N 90-644 Site Restric	278A 37 59 06 cted-Effectiv	Crozet 78 44 05 se 10-15-91-Rsva		350.4 OM		115.0 71.5 cational use	9	
WMXB LI CY Radio Venta	279B 37 30 31 ures I, L.P. 1	Richmond 77 34 37 BLH831117BF	VA 20.0 kW	115.8 256M	113.00 70.0	113.0 70.2	-0.00 *	
* Distance	to WMXB is	rounded to near	est kilome	ter as per	FCC Rule	es		
	38 56 09	Washington 77 05 33 Partner BLH9106		52.5 158M	179.84 111.8	178.0 110.6	1.84	
AP277 APG CN Commonwe		New Market 78 54 07 Visual Ent BPH8		348.2 kW 166M 900626	74.69 46.4	72.0 44.8	2.69	
ALOPEN <i>AL N</i> 88-520 WO	277A 38 38 00 = 890926 89	New Market 78 42 42 01026	VA 0.0 kW	1.0 OM	75.86 47.2	72.0 44.8	3.86	

BROADCAST TECHNICAL, INC. NEW ORLEANS, LOUISIANA


May, 1992

PREPARED BY:

FIGURE 1, Page 2 FM SPACING STUDY NEW EDUCATIONAL FM STATION CH 278 A 103.5 MHz. 0.270 kW 462 METERS COMMUNITY EDUCATIONAL SERVICE COUNCIL, INC. CROZET, VIRGINIA

REFERENCE 37 57 00 N 78 43 38 W			CLASS A			DISPLAY DATES SEARCH 4-30-92 DATA 3-26-92	
		Current rule spacings					.
		CHANN	EL 278	- 103.5	MHz		
CALL TYPE	CH# LAT	CITY LNG	STATE PWR	BEAR' HT	D-KM D-Mi	R-KM R-Mi	MARGIN (KM)
AP277	277A	New Market	VA	354.0	79.11	72.0	7.11
APD CN	38 39 32	78 49 16	6.0 kW	100M	49.2	44.8	
	Ü	H891026MC 900 al Decision 9203					
WUVA	224A	Charlottesville	VA	79.8	22.00	10.0	12.00
LI CN	37 59 06	78 28 51	0.22 kW	274M	13.7	6.2	
WUVA, Inc.	. BLH79 060	8AC					
WAKG	277C1	Danville	VA	203.5	146.27	133.0	13.27
LI CN	36 44 28	79 23 05	100.0 kV	V 199M	90.9	82.7	
Piedmont B	roadcasting	Corpora BLH90	00904KB				

END CHANNEL 278A STUDY








FIGURE 4
ELEVATION AND CONTOUR DATA
NEW EDUCATIONAL FM STATION
CH 278 A 103.5 MHz. 0.270 kW 462 METERS
COMMUNITY EDUCATIONAL SERVICE COUNCIL, INC.
CROZET, VIRGINIA

Radial and	Average Elevation	Effective Antenna	Effective	Predicted Contours		
Bearing (Degrees)	(3-16km) Meters	Height Meters	Radiated Power (dBk)	70 dBu km	60 dBu <u>km</u>	
0.0	231.6	513	-5.686	16.8	30.0	
45.0	255.6	489	-5.686	16.4	29.2	
90.0	206.6	538	-5.686	17.3	30.9	
135.0	224.6	520	-5.686	17.0	30.3	
180.0	265.6	479	-5.686	16.2	28.8	
225.0	342.6	402	-5.686	14.9	26.4	
270.0	413.6	331	-5.686	13.6	24.1	
315.0	316.6	428	-5.686	15.3	27.2	

Height of radiation center above mean sea level
Height of average terrain above mean sea level
Height of radiation center above average terrain

462.0 meters

